Surface Water-Tip Dam 3																				
Lab No.	**Sample Date**	**Report Date**	**Alkalinity (mg/L)**	**Ammonia-N (mg/L)**	**Calcium (mg/L)**	**Iron (mg/L)**	**Magnesium (mg/L)**	**Manganese (mg/L)**	**Potassium (mg/L)**	**Sodium (mg/L)**	**Chloride (mg/L)**	**Fluoride (mg/L)**	**Nitrate (mg/L)**	**Sulfate (mg/L)**	**Ec (dS/m)**	**pH**	**Total Suspended Solids (mg/L)**	**Total Organic Carbon (mg/L)**	**Total Phenolics (mg/L)**	**Chlorinated Volatile Compounds**
1610-0147	26.10.16	08.11.16	20	<0.1	3.08	3.3	1.56	0.06	5.1	2.42	1.9	<0.1	<0.1	0.7	42	8.7	17	4.7	1.2	<0.02
1702-0024	01.02.17	Dry																		
1705-0015	01.05.17	17.05.17	231	1.8	147	0.78	196	2.52	120	898	1960	0.2	5.5	348	6.52	8.3	90	66	0.8	<0.002
1707-0102	25.07.17	11.08.17	26.00	0.2	6.52	13.1	2.75	0.177	5.6	4.56	<0.1	<0.1	0.4	2.9	0.088	7.4	28	7.3	0.5	<0.002
1711-0113	20.11.17	05.12.17	274	0.8	135	1.23	221	3.29	165	706	1730	0.4	<0.1	229	5.92	7	100	59	0.7	<0.002
1801-0105	21.01.18	Dry																		
1805-0044	08.05.18	Dry																		
1801-0105	21.01.18	02.02.18	218	0.1	143	0.77	104	4.25	151	256	633	0.4	<0.1	439	3.18	7.1	28	78	1.2	<0.002